


# GRAZER NOVA

*Lolium westerwoldicum*

- Early = fast access to forage
- High total drymatter yield in particular the 1st cut
- Good lodging tolerance
- Easy silage



## **Very early heading**

GRAZER NOVA heads very fast after sowing. With the score of 1 for heading on the scale from 1-9 in Germany (BSA) it is amongst the earliest available.

## **Very productive variety**

Right from the 1st cut, the yield is +35% compared to standards. Good lodging tolerance Despite the early heading the lodging resistance is good when the cut is taken at the optimal stage.

## **Easy conservation**

As a diploid the dry matter content is about 2% higher than for tetraploids. This allows faster drying in the field and easier conservation as hay or silage without compromising forage quality.

## Technical Specifications

- Westerwold/annual ryegrass
- Diploid very early variety with high dry matter production
- Listed/recommended in EU DE UK
- Lateness: Early

## Score for dry matter yield of 1st cut

Source: BSA (Germany). 1-9, 9=high yield

	Score for yield
Average all 2n	6,2
Grazer Nova	7

## Rust susceptibility

Source: BSA (Germany). 1-9, 9=susceptible

	Rust susceptibility
Average all 2n	3,8
Grazer Nova	3

## Ratings

Scale 1-9, where 9 = best or most pronounced

